

# FAQ for Access2DB2 Packages

The most recent version of this document can be viewed at [here](#).

## Table of Contents

1. [General Questions](#)
2. [EMBED Package Questions](#)

### General Questions

1. How to know the detailed version information of Access2DB2 package?  
check that MANIFEST.MF file in jar file.

2. Can I use it in an iSeries OS/400 IBM machine that has Java 1.4 running in it?

The Access2DB2 packages can run on any platform with Java VM, which includes Microsoft Windows, Novell Netware, OS2, UNIX, and LINUX. It supports Personal Java, JDK1.0.X, JDK1.1.X, JDK1.2.X, JDK1.3.X, JDK1.4.X and JDK1.5.X. It supports JDBC1.2, JDBC2.0, and JDBC3.0 now.

3. What is difference between the Access2DB2 Package, Embedded(WithDrv) Package, Embedded(WithoutDrv) Package?

The Access2DB2 Package is a GUI application , and the Embedded package is a package which can load into DB2 database(DB2 8 or upper). If you're exporting data by GUI application or a configuration file, you should use the Access2DB2 Package . If you want to export data more quickly and more flexibly, you can use the Access2DB2 Embedded Package.

As the tips by the name, Embedded(WithDrv) Package contains the HXTT Access JDBC package, and Embedded(WithoutDrv) Package doesn't.

4. What's the difference between the professional Access2DB2 Package and the enterprise Access2DB2 Package?

The standard Access2DB2 Package can export table data to DB2 from MS Access.

The enterprise Access2DB2 Package contains the function of standard Access2DB2 Package, besides, it can export data accord view or a dynamic query, and execute export operation from a configuration file saved by prior export operation, and loaded into DB2 database(DB2 8 or upper) for build a procedure to export data.

5. What causes the 'No suitable driver' SQLException?

This error usually occurs during a call to `DriverManager.getConnection()`. The cause can be failing to load the appropriate JDBC driver before calling `getConnection()`, or specifying an invalid JDBC URL that isn't recognized by your JDBC driver. If you are exporting data by GUI application or a configuration file, you should check the DB2 JDBC package exists in the directory in your driver config, and check your JDBC url. If you are using Embedded(WithoutDrv) Package to export data in DB2 database, this error happens is because you haven't load the HXTT Access JDBC package in DB2 database.

6. What's the diffirence between the HXTT Access JDBC package contained in DataExp 2007 program and the standard HXTT Access JDBC package?

The HXTT Access JDBC package contained in DataExp 2007 program can only used in DataExp 2007 program and have some functional limit, so you cann't use it for other usage.

There are no other difference between the two package. They can accept the same jdbc url, and connect properties, and operate data, etc.

7. Can export a table data to a non-exists table?

Yes. This package will auto create the destination table. In the GUI application, you can change the table structure when need creating the table.

8. I would like to export data from our application, instead of load it in DB2 database or GUI application. can can do so?

Yeah. You can do so if you buy the Enterprise Access2DB2 product . Maybe you should pay the attention to the [licence](#).

There is a class named com.hxtt.data.export.advance.Access2DB2 in the Embedded(WithDrv) Package and Embedded(WithoutDrv) Package contains a series method to export data.

All methods will throws java.sql.SQLException.

```
/**export dbf table data to DB2 database
```

\* @param sourceUrl assign the MS Access file location, in fact, you can assign any legal jdbc url not contains the prefix part(jdbc:access:/), so, c:/tmp/a.mdb, c:/tmp/xx.zip/aa.mdb, ///192.168.10.2/sharedir/c.mdb, //domain.com:3099/c:/data/b.mdb all can assigned to this parameter, more about this information, please see the [document](#).

\* @param sourceTableName assign the source table name

\* @param targetSchemaName assign the destination schema, it null, export to the current user

\* @param targetTableName assign the destination table name which you want to exported to it

\* @param sourceConnPar assign the conntion properties, please split multi properties by ';' ,for example, username=abc;password=abc

\*/

```
public static void exportTable(String sourceUrl, String sourceTableName, String targetSchemaName,
String targetTableName, String sourceConnPar)
```

```
/**export SQL query result to DB2 database
```

```

*@param sourceUrl assign the MS Access file location or a valid directory, in fact, you can assign any legal
jdbc url not contains the prefix part(jdbc:access:/), so, c:/tmp/a.mdb, c:/tmp/xx.zip/
aa.mdb, ///192.168.10.2/sharedir/c.mdb, //domain.com:3099/c:/data/b.mdb all can
assigned to this parameter, more about this information, please see the document.
*@param querySQL assign the query SQL
*@param targetSchemaName assign the destination schema, it null, export to the current schema
*@param targetTableName assign the destination table name which you want to exported to it
*@param sourceConnPar assign the connection properties, please split multi properties by ';' ,for example,
username=abc;password=abc
*/
public static void exportQuery(String sourceUrl, String query, String targetSchemaName, String
targetTableName, String sourceConnPar)

```

```

com.hxtt.data.export.advance.ConnectionGetter.setConnection(yourConnection);
com.hxtt.data.export.advance.Access2DB2.exportTable('c:/tmp/a.mdb','ATABLE',null,'BTABLE',null);

```

Attention, after exported one table, you must reset the connection to export another table for we will release  
the connection after complete a export operation.

```

com.hxtt.data.export.advance.ConnectionGetter.setConnection(yourConnection);
com.hxtt.data.export.advance.Access2DB2.exportQuery("c:/tmp","select * from aa.atable a, bb.btable b
where a.id=b.id",null,"BTABLE",null);

```

## Embed Package Questions

### 1. What's the Embed Package?

Embed Package is a jar file which can load into DB2 database and execute export operation by DB2  
procedure, or can be used in your java program to execute export operation.

The Embedded(WithDrv) Package contains the HXTT Access JDBC package, and Embedded  
(WithoutDrv) Package doesn't.

If you have bought the the HXTT Access JDBC package, you can use the Embedded(WithoutDrv) Package  
to execute export operation. or else, you should the Embedded(WithDrv) Package to execute export  
operation.

### 2. How do I load the Embed Package(With HXTT Access JDBC Driver) into DB2 Database and execute export operation in DB2 database?

You can do as follows.

In DB2 Command Editor, run the follows command to load the embed package into DB2 database.

```
call sqlj.install_jar('file:c:/EMBAcces2DB2_WithDRV.jar','Access2DB2')
```

Then, you should create the follows procedure,

```
create procedure exportTable(
in schemaname varchar(200),
in tablename varchar(200),
in targetdirectory varchar(200),
in targettablename varchar(200),
in targetconnpar varchar(200))
external name 'DB22ACCESS:com.hxtt.data.export.advance.Access2DB2.exportTable'
language java parameter style java
```

Then, you can use the procedure *exportTable* to export table/view date to DBase4 table.

3. How do I load the Embed Package(Without HXTT Access JDBC Driver) into DB2 Database and execute export operation in DB2 database?

It's same as install the Embed Package(With HXTT Access JDBC Driver) into DB2 database.

But you should install the HXTT Access JDBC Driver at the same time.

In DB2 Command Editor, run the follows command to install the embed package into DB2 database.

```
call sqlj.install_jar('file:c:/Access_JDBC20.jar;c:/EMBAcces2DB2_WithDRV.jar','Access2DB2')
```

4. When I install package to DB2 database, errors happen.

Please see <http://www.ibm.com/developerworks/db2/library/techarticle/dm-0510law/>. This page shows a lot of errors and give a answer.

5. I loaded the package, created the procedure, but when executing procedure *exportTable*, errors happened.

Maybe you should restart the database server. I don't know why but when i restart the database server, it works well.

6. I loaded the package, created the procedure, grant privilege, and execute procedure *exportTable* successly in machine, but I cann't find the data file in my machine

The data file will be located the DB2 Database Server machine.

For example, you execute the follows procedure,

*BEGIN*

```
exportTable('c:/tmp/aa.mdb','atable',null,null,null);
```

*END;*

This data of atable will export to the c:/tmp/atable located in the DB2 Database Server machine no matter where you execute this procedure .

## 7. How to export data accord a SQL query?

For example,

```
BEGIN  
EXPORTQUERY('c:/tmp/,'select * from aa.atable a,bb.btable b where a.id=b.id',null,'XTABLE',null);  
END;
```

## 8. Can I load two package to DB2(8i or upper) database, for example, EMBDB22DBF\_WithDrv.jar and EMBDBF2DB2\_WithDrv.jar?

You can do so. But you should assign the different name when install this package..

Copyright © 2006 Hongxin Technology & Trade Ltd. | All Rights Reserved. |