

FAQ for DB2Paradox Packages

The most recent version of this document can be viewed at [here](#).

Table of Contents

1. [General Questions](#)
2. [EMBED Package Questions](#)

General Questions

1. How to know the detailed version information of DB2Paradox package?
check that MANIFEST.MF file in jar file.

2. Can I use it in an iSeries OS/400 IBM machine that has Java 1.4 running in it?

The DB2Paradox packages can run on any platform with Java VM, which includes Microsoft Windows, Novell Netware, OS2, UNIX, and LINUX. It supports Personal Java, JDK1.0.X, JDK1.1.X, JDK1.2.X, JDK1.3.X, JDK1.4.X and JDK1.5.X. It supports JDBC1.2, JDBC2.0, and JDBC3.0 now.

3. What is difference between the DB2Paradox Package, Embedded(WithDrv) Package, Embedded (WithoutDrv) Package?

The DB2Paradox Package is a GUI application , and the Embedded package is a package which can load into DB2 database(DB2 8 or upper). If you're exporting data by GUI application or a configuration file, you should use the DB2Paradox Package . If you want to export data more quickly and more flexibly, you can use the DB2Paradox Embedded Package.

As the tips by the name, Embedded(WithDrv) Package contains the HXTT Paradox JDBC package, and Embedded(WithoutDrv) Package doesn't.

4. What's the difference between the professional DB2Paradox Package and the enterprise DB2Paradox Package?

The standard DB2Paradox Package can export table data to Corel Paradox from DB2.

The enterprise DB2Paradox Package contains the function of standard DB2Paradox Package, besides, it can export data accord view or a dynamic query, and execute export operation from a configuration file saved by prior export operation, and loaded into DB2 database(DB2 8 or upper) for build a procedure to export data.

5. What causes the 'No suitable driver' SQLException?

This error usually occurs during a call to DriverManager.getConnection(). The cause can be failing to load the appropriate JDBC driver before calling getConnection(), or specifying an invalid JDBC URL that isn't recognized by your JDBC driver. If you are exporting data by GUI application or a configuration file, you should check the DB2 JDBC package exists in the directory in your driver config, and check your JDBC url. If you are using Embedded(WithoutDrv) Package to export data in DB2 database, this error happens is because you haven't load the HXTT Paradox JDBC package in DB2 database.

6. What's the difference between the HXTT Paradox JDBC package contained in DataExp 2007 program and the standard HXTT Paradox JDBC package?

The HXTT Paradox JDBC package contained in DataExp 2007 program can only used in DataExp 2007 program and have some functional limit, so you can't use it for other usage.

There are no other difference between the two package. They can accept the same jdbc url, and connect properties, and operate data, etc.

7. Can export a table data to a non-exists table?

Yes. This package will auto create the destination table. In the GUI application, you can change the table structure when need creating the table.

8. I would like to export data from our application, instead of load it in DB2 database or GUI application. can can do so?

Yeah. You can do so if you buy the Enterprise DB2Paradox product . Maybe you should pay the attention to the [licence](#).

There is a class named com.hxtt.data.export.advance.DB2Paradox in the Embedded(WithDrv) Package and Embedded(WithoutDrv) Package contains a series method to export data.

All methods will throws java.sql.SQLException.

```
/**export table data in DB2 database to Corel Paradox 7.x Table
```

```

*@param schemaName      assign the source data table's schema, null means that table is owned by
                        current user
*@param tableName       assign the source table name
*@param targetDirectory assign the destination directory, in general, you want to export table data to a
                        file.But in fact, you can assign any legal jdbc url not contains the prefix part
                        (jdbc:paradox:/), so, c:/tmp, c:/tmp/xx.zip, ////192.168.10.2/sharedir, //
                        domain.com:3099/c:/data all can assigned to this parameter, more about this
                        information, please see the document.
*@param targetTableName assign the destination table name which you want to exported to it
*@param targetConnProps assign the conntion properties, please split multi properties by ';' ,for example,
                        username=abc;password=abc
*/

```

```
public static void exportTableToParadox7(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export table data to Corel Paradox 8.x Table*/
```

```
public static void exportTableToParadox8(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export table data to Corel Paradox 9.x Table */
```

```
public static void exportTableToParadox9(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export table data to Corel Paradox 10.x Table */
```

```
public static void exportTableToParadox10(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export table data to Corel Paradox 11.x Table */
```

```
public static void exportTableToParadox11(String schemaName, String tableName, String targetDirectory,
String targetTableName,String targetConnProps)
```

```
/**export table data to Paradox 3 Table */
```

```
public static void exportTableToParadox3(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export table data to Paradox 3.5 Table */
```

```
public static void exportTableToParadox3_5(String schemaName, String tableName, String
targetDirectory, String targetTableName, String targetConnProps)
```

```
/**export table data to Paradox 4.x Table */
```

```
public static void exportTableToParadox4(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export table data to Paradox 5.x Table */
```

```
public static void exportTableToParadox5(String schemaName, String tableName, String targetDirectory,
String targetTableName, String targetConnProps)
```

```
/**export SQL query result to Corel Paradox 7.x Table
```

```
*@param querySql      assign the SQL query sentence
```

```
*@param targetDirectory  assign the destination directory, in general, you want to export table data to a
file, so this parameter name is targetDirectory, but in fact, you can assign any
legal jdbc url not contains the prefix part(jdbc:dbf:/), so, c:/tmp, c:/tmp/xx.
zip, ////192.168.10.2/sharedir all can assigned to this parameter, more about
this information, please see the document.
```

```
*@param targetTableName assign the destination table name which you want to exported to it
```

```
*@param targetConnProps assign the conntion properties for build destination database connectiion,
please split multi properties by ';' ,for example, username=abc;password=abc
```

```
*/
```

```
public static void exportQueryToParadox7(String querySQL, String targetDirectory, String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Corel Paradox 8.x Table*/
```

```
public static void exportQueryToParadox9(String querySQL, String targetDirectory, String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Corel Paradox 9.x Table */
```

```
public static void exportQueryToFoxpro8(String querySQL, String targetDirectory, String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Corel Paradox 10.x Table */
```

```
public static void exportQueryToParadox10(String querySQL, String targetDirectory, String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Corel Paradox 11.x Table */
```

```
public static void exportQueryToParadox11(String querySQL, String targetDirectory, String
targetTableName,String targetConnProps)
```

```
/**export SQL query result to Paradox 3 Table */
```

```
public static void exportQueryToParadox3(String querySQL, String targetDirectory, String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Paradox 3.5 Table */
```

```
public static void exportQueryToParadox3_5(String querySQL, String targetDirectory, String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Paradox 4.x Table */
```

```
public static void exportQueryToParadox4(String querySQL, String targetDirectory,String
targetTableName, String targetConnProps)
```

```
/**export SQL query result to Paradox 5.x Table */
```

```
public static void exportQueryToParadox5(String querySQL, String targetDirectory,String
targetTableName, String targetConnProps)
```

```
com.hxtt.data.export.advance.ConnectionGetter.setConnection(yourConnection);
com.hxtt.data.export.advance.DB22Paradox.exportTableToParadox7(null,"ATABLE","c:/tmp","BTABLE",
null);
```

Attention, affter exported one table, you must reset the connection to export another table for we will release the connection after complete a export operation.

```
com.hxtt.data.export.advance.ConnectionGetter.setConnection(yourConnection);
com.hxtt.data.export.advance.DB22Paradox.exportQueryToParadox7("select * from ATABLE A,BTABLE
B WHERE A.ID=B.ID","c:/tmp","NEWTABLE",null);
```

Embed Package Questions

1. What's the Embed Package?

Embed Package is a jar file which can load into DB2 database and execute export operation by DB2 procedure, or can be used in your java program to execute export operation.

The Embedded(WithDrv) Package contains the HXTT Paradox JDBC package, and Embedded (WithoutDrv) Package doesn't.

If you have bought the the HXTT Paradox JDBC package, you can use the Embedded(WithoutDrv) Package to execute export operation. or else, you should use the Embedded(WithDrv) Package to execute export operation.

2. How do I load the Embed Package(With HXTT Paradox JDBC Driver) into DB2 Database and execute export operation in DB2 database?

You can do as follows.

In DB2 Command Editor, run the follows command to load the embed package into DB2 database.
call sqlj.install_jar('file:c:/EMBDB22Paradox_WithDRV.jar','DB22Paradox')

Then, you should create the follows procedure,

```
create procedure exportTableToParadox8(
in schemaname varchar(200),
in tablename varchar(200),
in targetdirectory varchar(200),
in targettablename varchar(200),
in targetconnpar varchar(200))
external name 'DB22ACCESS:com.hxtt.data.export.advance.DB22Paradox.exportTableToParadox8'
language java parameter style java
```

Then, you can use the procedure *exportTableToParadox8* to export table/view data to DBase4 table.

3. How do I load the Embed Package(Without HXTT Paradox JDBC Driver) into DB2 Database and execute export operation in DB2 database?

It's same as install the Embed Package(With HXTT Paradox JDBC Driver) into DB2 database. But you should install the HXTT Paradox JDBC Driver at the same time.

In DB2 Command Editor, run the follows command to install the embed package into DB2 database.
call sqlj.install_jar('file:c:/Paradox_JDBC20.jar;c:/EMBDB22Paradox_WithDRV.jar','DB22Paradox')

4. When I install package to DB2 database, errors happen.

Please see <http://www.ibm.com/developerworks/db2/library/techarticle/dm-0510law/>. This page shows a lot of errors and give a answer.

5. I loaded the package, created the procedure, but when executing procedure *exportTableToParadox8*, errors happened.

Maybe you should restart the database server. I don't know why but when i restart the database server, it works well.

6. I loaded the package, created the procedure, grant privilege, and execute procedure *exportTableToParadox8* successly in machine, but I can't find the data file in my machine

The data file will be located the DB2 Database Server machine.

For example, you execute the follows procedure,

```
BEGIN  
  exportTableToParadox8(null,'atable','c:/tmp',null,null);  
END;
```

This data of atable will export to the c:/tmp/atable located in the DB2 Databae Server machine no matter where you execute this procedure .

7. How to export data accord a SQL query?

For example,

```
BEGIN  
  exportQueryToParadox8('select * from aa.atable a,bb.btable b where a.id=b.id','c:/tmp','XTABLE',null);  
END;
```

8. Can I load two package to DB2(8i or upper) database, for example, EMBDB22DBF_WithDrv.jar and EMBDBF2DB2_WithDrv.jar?

You can do so. But you should assign the different name when install this package..

Copyright © 2006 Hongxin Technology & Trade Ltd. | All Rights Reserved. |